

Plants of Gateway Palisade Natural Area & vicinity

Collected or observed by Loraine Yeatts 2007 - 2016

<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
Aceraceae		
1. <i>Acer glabrum</i>		Maple Mt. maple
Agavaceae		
	(formerly in Liliaceae)	Agave
2. <i>Yucca angustissima</i>		Yucca, Spanish bayonet
3. <i>Yucca baccata</i>		Banana or datil yucca
4. <i>Yucca harrimaniae</i>		Harriman yucca
Alliaceae		
	(formerly in Liliaceae)	Onion
5. <i>Allium macropetalum</i>		San Juan onion
6. <i>Allium textile</i>		Wild onion
7. <i>Androstephium breviflorum</i>		Wild hyacinth, funnel lily
Alsiniaceae		
	(formerly in Caryophyllaceae)	Chickweed
8. <i>Eremogone eastwoodiae</i>	(<i>Arenaria fendleri</i> var. <i>eastwoodiae</i>)	Eastwood' sandwort
Anacardiaceae		
		Sumac
9. <i>Rhus aromatica</i> ssp. <i>trilobata</i>	(<i>R. trilobata</i>)	Skunkbrush
Apiaceae		
	(Umbelliferae)	Parsley
10. <i>Cymopterus fendleri</i>	(<i>C. acaulis</i> var. <i>fendleri</i>)	Fendler's cymopterus
11. <i>Cymopterus terebinthinus</i> var. <i>petraeus</i>	(<i>C. petraeus</i>)	Skeletonleaf rock-parsley
Asclepiadaceae		
		Milkweed
12. <i>Asclepias asperula</i>		Spider/Creeping milkweed
13. <i>Asclepias cryptoceras</i>		Adobe milkweed
14. <i>Asclepias subverticillata</i>		Poison milkweed
Asteraceae		
	(Compositae)	Sunflower
I 15. <i>Acroptilon repens</i>	(<i>Centaurea repens</i>)	Russian knapweed
16. <i>Ambrosia acanthicarpa</i>	(<i>Franseria acanthicarpa</i>)	Sandbur
17. <i>Antennaria parvifolia</i>		Mt. pussytoes
18. <i>Artemisia bigelovii</i>		Bigelow sagebrush / wormwood
19. <i>Artemisia frigida</i>		Silver or fringed sage
20. <i>Artemisia ludoviciana</i> ssp. <i>albula</i>		Louisiana sagewort or wormwood
21. <i>Brickellia</i> cf. <i>californica</i>		
22. <i>Brickellia eupatorioides</i> var. <i>chlorolepis</i>	(<i>Brickellia rosmarinifolia</i> ssp. <i>chlorolepis</i>)	Brickellbush
23. <i>Brickellia grandiflora</i>		
24. <i>Brickellia longifolia</i>		Longleaf brickellbush
25. <i>Brickellia microphylla</i> ssp. <i>scabra</i>	(<i>B. scabra</i>)	Rough brickell-bush
26. <i>Brickellia oblongifolia</i>	(<i>B. oblongifolia</i> var. <i>linifolia</i>)	Mohave brickellbush
27. <i>Chaenactis stevioides</i>		Stevia dusty-maiden, desert pincushion
28. <i>Chaetopappa ericoides</i>	(<i>Leucelene ericoides</i>)	Sand aster
29. <i>Chrysothamnus greenei</i>	(<i>C. linifolius</i>)	Greene rabbitbrush
30. <i>Chrysothamnus linifolius</i>	(<i>C. viscidiflorus</i> ssp. <i>linifolius</i>)	Spreading rabbitbrush
31. <i>Chrysothamnus vaseyi</i>		Vasey rabbitbrush
32. <i>Chrysothamnus viscidiflorus</i> var. <i>stenophyllus</i>	(includes <i>C. viscidiflorus</i> var. <i>axillaris</i>)	Slenderleaf rabbitbrush
33. <i>Cirsium neomexicanum</i>		New Mexico thistle
34. <i>Ericameria nauseosa</i> var. <i>graveolens</i>	(<i>Chrysothamnus nauseosus</i> ssp. <i>graveolens</i>)	Pungent rabbitbrush
35. <i>Ericameria nauseosa</i> var. <i>juncea</i>	(<i>Chrysothamnus nauseosus</i> var. <i>junceus</i>)	Rush rabbitbrush

COMMENTS: E = endemic to Colorado; I = introduced; G or S+# = global occurrences, 1 = < 5, 2 = 6-20, 3 = 21-100 populations, 4 or 5 = secure but rare in parts of range, esp. at periphery; LE or LT = listed as endangered or threatened

	<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
	36. <i>Erigeron concinnus</i>		Navajo fleabane
	37. <i>Erigeron engelmannii</i>		
G2S1 (UT)S3	38. <i>Erigeron kachinensis</i>		Kachina daisy
	39. <i>Erigeron utahensis</i>		Canyonlands fleabane
	40. <i>Erigeron utahensis</i> var. <i>sparsifolius</i>	(<i>E. sparsifolius</i>)	Slenderleaf daisy
	41. <i>Gaillardia pinnatifida</i>		Blanketflower
	42. <i>Gutierrezia microcephala</i>		Thread snakeweed
	43. <i>Gutierrezia sarothrae</i>	(<i>Xanthocephalum sarothrae</i>)	Broom snakeweed
	44. <i>Helianthus petiolaris</i>		Prairie sunflower
	45. <i>Heterotheca villosa</i> var. <i>minor</i>	(<i>Chrysopsis villosa</i> var. <i>minor</i>)	
	46. <i>Heterotheca villosa</i> var. <i>pedunculata</i>	(<i>Chrysopsis pedunculata</i>)	Hairy false goldenaster
	47. <i>Hymenopappus filifolius</i> var. <i>cinereus</i>		
	48. <i>Hymenopappus filifolius</i> var. <i>megacephalus</i>		Bighead hymenopappus, hyaline herb
G1S1E	49. <i>Lygodesmia doloresensis</i>		Dolores skeleton-weed
	50. <i>Machaeranthera canescens</i> var. <i>aristata</i>	(<i>M. linearis</i> , Dieteria)	Hoary aster
	51. <i>Machaeranthera grindelioides</i>		Gumweed aster
	52. <i>Machaeranthera tanacetifolia</i>	(<i>Aster tanacetifolia</i>)	Tansy aster, tahoka daisy
	53. <i>Packera multilobata</i>	(<i>Senecio multilobatus</i>)	Uinta groundsel
	54. <i>Petradoria pumila</i>	(<i>Solidago petradoria</i>)	Rock goldenrod
	55. <i>Senecio multicapitatus</i>	(<i>S. spartioides</i> var. <i>multicapitatus</i>)	Many-head groundsel
	56. <i>Senecio spartioides</i>		Broom groundsel
	57. <i>Seriphidium novum</i>	(<i>Artemisia nova</i>)	Black sagebrush
	58. <i>Seriphidium tridentatum</i> ssp. <i>parishii</i>	(<i>Artemisia tridentata</i> (A.Gray) H. M. Hall & Clements)	Big sagebrush
	59. <i>Seriphidium vaseyanum</i>	(<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>)	Mt. sagebrush
	60. <i>Stenotus amerioides</i>	(<i>Haplopappus amerioides</i>)	Thrifty goldenweed
	61. <i>Stephanomeria pauciflora</i>		Wirelettuce
	62. <i>Stephanomeria tenuifolia</i>	(<i>S. wrightii</i>)	Wire lettuce
	63. <i>Tetraneuris acaulis</i> var. <i>arizonica</i>	(<i>Hymenoxys acaulis</i> var. <i>arizonica</i> , <i>T. arizonica</i>)	AZ woollybase
	64. <i>Tetraneuris ivesiana</i>	(<i>Hymenoxys acaulis</i> var. <i>ivesiana</i>)	Stemless woollybase
	65. <i>Thelesperma subnudum</i>		Scapose greenthread
	66. <i>Townsendia incana</i>		Silvery townsendia
I	67. <i>Tragopogon dubius</i> ssp. <i>major</i>		Salsify, Oysterplant
	68. <i>Virgulaster ascendens</i>	(<i>Aster</i> , <i>Symphyotrichum</i>)	
	69. <i>Xanthisma gracile</i>	(<i>Machaeranthera gracilis</i>)	Slender goldenweed
	Boraginaceae		Borage
	70. <i>Cryptantha crassisepala</i> var. <i>elachantha</i>		Cryptantha
	71. <i>Cryptantha gracilis</i>		Slender cryptantha
	72. <i>Cryptantha pterocarya</i>		
	73. <i>Lappula marginata</i>	(<i>Lappula texana</i> / <i>dipoloma</i> incorrectly appl.)	Stickseed
	74. <i>Lappula redowskii</i>		Common stickseed
	75. <i>Lithospermum incisum</i>		Narrow-leaved puccoon, showy stoneseed
	76. <i>Oreocarya flava</i>	(<i>Cryptantha flava</i>)	Yellow borage
	77. <i>Oreocarya flavoculata</i>	(<i>Cryptantha flavoculata</i>)	Roughseed borage

	<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
G2G3S 3	78. <i>Oreocarya osterhoutii</i>	(<i>Cryptantha osterhoutii</i>)	Osterhout borage
	Brassicaceae	(Cruciferae)	Mustard
	79. <i>Boechera formosa</i>	(<i>Boechera pulchra</i> var. <i>pallens</i>)	Pretty rockcress
	80. <i>Boechera gracilentia</i>	(<i>Boechera selbyi</i>)	Selby rockcress
	81. <i>Descurainia pinnata</i>		Tansy mustard
	82. <i>Draba cuneifolia</i>		Wedge-leaved draba
	83. <i>Draba reptans</i>		Dwarf draba
	84. <i>Lepidium lasiocarpum</i>		Hispidcress
	85. <i>Lepidium montanum</i>		mountain pepperplant
I	86. <i>Malcolmia africana</i>		African mustard
	87. <i>Physaria acutifolia</i>		Double bladderpod
	88. <i>Schoenocrambe linifolia</i>	(<i>Sisymbrium linifolium</i>)	Skeleton-mustard
I	89. <i>Sisymbrium altissimum</i>		Jim Hill or tumble mustard
	90. <i>Stanleya pinnata</i>		Prince's plume
	91. <i>Streptanthella longirostris</i>		
	92. <i>Streptanthus cordatus</i>		Twistedflower
	Cactaceae		Cactus
	93. <i>Echinocereus triglochidiatus</i>		Claret cup
	94. <i>Opuntia phaeacantha</i>		Engelmann prickly pear
	95. <i>Opuntia polyacantha</i>	(incl. var. <i>trichophora</i> / <i>juniperina</i>)	Central prickly pear
	96. <i>Opuntia polyacantha</i> var. <i>erinacea</i>	(<i>O. erinacea</i>)	Mojave or grizzly bear pricklypear
	97. <i>Sclerocactus parviflorus</i>	(<i>S. whipplei</i> var. <i>rosea</i> of some authors)	Bearclaw
	98. <i>Sclerocactus whipplei</i>		Whipple fishhook
	Calochortaceae	(formerly in Liliaceae)	Mariposa
	99. <i>Calochortus nuttallii</i>		Sego lily, mariposa
	Capparaceae		Caper
	100. <i>Polanisia dodecandra</i>		Clammyweed
	Caprifoliaceae		Honeysuckle
	101. <i>Symphoricarpos longiflorus</i>		Long-flower snowberry
	Caryophyllaceae	(Alsiniaceae)	Pink
I	102. <i>Silene antirrhina</i>		Sleepy catchfly
	Chenopodiaceae	(Compositae)	Goosefoot
	103. <i>Atriplex canescens</i>		Four-wing saltbush
	104. <i>Atriplex confertifolia</i>		Shadscale
	105. <i>Bassia hyssopifolia</i>		Ironweed
	106. <i>Grayia spinosa</i>	(<i>Atriplex grayi</i>)	Spiny hop-sage
I	107. <i>Halogeton glomeratus</i>		Halogeton
	108. <i>Krascheninnikovia lanata</i>	(<i>Eurotia/ Ceratoides lanata</i>)	Winterfat
I	109. <i>Salsola tragus</i>	(<i>S. australis</i> , <i>S. kali</i> , <i>S. iberica</i> , <i>S. pestifer</i>)	Russian thistle
	110. <i>Sarcobatus vermiculatus</i>		Greasewood
	111. <i>Suaeda nigra</i>		seablite
	112. <i>Zuchia brandegei</i>	(<i>Atriplex brandegei</i>)	Siltbush, shadscale, saltbush
	Convolvulaceae		Morningglory
	113. <i>Evolvulus nuttallianus</i>		
	Cupressaceae		Cypress
	114. <i>Sabina osteosperma</i>	(<i>Juniperus utahensis</i>)	Utah juniper

	<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
	<u>Ephedraceae</u>		Ephedra
	115. <i>Ephedra torreyana</i>		Mormon tea, Torrey ephedra
	116. <i>Ephedra viridis</i>		Green ephedra, Mormon tea
	<u>Euphorbiaceae</u>		Spurge
	117. <i>Chamaesyce fendleri</i>	(<i>Euphorbia fendleri</i>)	
	118. <i>Chamaesyce glyptosperma</i>		Ridge-seeded spurge
	<u>Fabaceae</u>		Pea
	119. <i>Astragalus amphioxys</i>	(Leguminosae)	Crescent milkvetch
G4S2	120. <i>Astragalus coltonii</i> var. <i>moabensis</i>		Milk vetch
G5S1	121. <i>Astragalus desperatus</i> var. <i>neeseae</i>	(<i>A. equisolensis</i>)	Rimrock milkvetch
	122. <i>Astragalus flexuosus</i> var. <i>diehlii</i>		Bent milkvetch
	123. <i>Astragalus lentiginosus</i> var. <i>palans</i>		Freckled milkvetch
	124. <i>Astragalus lonchocarpus</i>		Great rushy milkvetch
	125. <i>Astragalus mollissimus</i> var. <i>thompsonae</i>	(<i>A. thompsonae</i>)	Woolly locoweed
	126. <i>Astragalus nuttallianus</i> var. <i>micranthiformis</i>		Small-flowered milkvetch
G2G3S 1	127. <i>Astragalus piscator</i>		Fisher milkvetch
	128. <i>Astragalus scopulorum</i>		Rocy Mt. milkvetch
	129. <i>Astragalus wingatanus</i>		Fort Wingate milkvetch
	130. <i>Hedysarum boreale</i>		Northern sweetvetch
	131. <i>Lathyrus brachycalyx</i> var. <i>zionis</i>		Zion sweetpea
	132. <i>Lathyrus eucosmus</i>		Purple peavine
	133. <i>Lupinus ammophilus</i>	(<i>L. polyphyllus</i> var. <i>ammophilus</i>)	Meadow lupine
	134. <i>Lupinus argenteus</i> var. <i>moabensis</i>		Moab lupine
	135. <i>Lupinus caudatus</i>	(<i>L. aduncus</i>)	Lupine
	136. <i>Lupinus sericeus</i>		Lupine
	137. <i>Oxytropis lambertii</i>		Lambert loco
	138. <i>Oxytropis sericea</i>		Silky loco-weed
G4S3S4	139. <i>Pediomelum megalanthum</i>	(<i>Psoralea megalanthum</i>)	Indian potato, large-flowered breadroot
	140. <i>Psoralidium lanceolatum</i>	(<i>Psoralea lanceolata</i>)	Lemon scurf-pea
	<u>Fagaceae</u>		Oak
	141. <i>Quercus gambellii</i>		Gambel oak
	<u>Gentianaceae</u>		Gentian
G4 S1	142. <i>Frasera paniculata</i>		
	<u>Geraniaceae</u>		Geranium
I	143. <i>Erodium cicutarium</i>		Storksbill, cranebill
	144. <i>Geranium caespitosum</i> ssp. <i>atropurpureum</i>	(<i>G. atropurpureum</i>)	Small-leaf geranium
	<u>Helleboraceae</u>		Hellebore
	145. <i>Aquilegia micrantha</i>	(formerly in <i>Ranunculaceae</i>)	Alcove columbine
	146. <i>Delphinium scaposum</i>	(<i>D. andersonii</i> var. <i>scaposum</i>)	Larkspur
	<u>Hydrangeaceae</u>		Hydrangea
	147. <i>Fendlera falcata</i>	(<i>F. rupicola</i> var. <i>falcata</i>)	Fendlerbush
	148. <i>Philadelphus microphyllus</i>	(<i>P. microphyllus</i> ssp. <i>occidentalis</i>)	Mock-orange
	<u>Hydrophyllaceae</u>		Waterleaf Borage
	149. <i>Ellisia nyctelea</i>		Waterpod
	150. <i>Phacelia crenulata</i>	(<i>P. crenulata</i> var. <i>ambigua</i>)	Notch-leaved phacelia
	<u>Linaceae</u>		Flax

Plants of Gateway Palisade Natural Area & vicinity

	<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
	151. <i>Mesynium puberulum</i>	(<i>Linum puberulum</i>)	Plains flax
	<u>Loasaceae</u>		Loasa
	152. <i>Acrolasia albicaulis</i>	(<i>Mentzelia albicaulis</i>)	Small-flowered stickleaf
	153. <i>Mentzelia marginata</i>	(<i>Nuttalia cronquistii</i>)	Cronquist's stickleaf
	<u>Malvaceae</u>		Mallow
	154. <i>Sphaeralcea leptophylla</i>		Slenderleaf / rimrock globemallow
	155. <i>Sphaeralcea parvifolia</i>		Nelson globemallow
	<u>Melanthiaceae</u>		(formerly in Liliaceae) False hellebore
	156. <i>Toxicoscordion paniculatum</i>	(<i>Zygadenus paniculatum</i>)	Death camas
	<u>Nyctaginaceae</u>		Four-o'clock
	157. <i>Abronia elliptica</i>		Sand verbena
	158. <i>Allionia incarnata</i>		Trailing four-o'clock, windmills
	159. <i>Mirabilis glandulosa</i>	(<i>M. multiflora</i> var. <i>glandulosa</i>)	Pinyon four-o'clock
	160. <i>Mirabilis multiflora</i>		Large Four-o'clock
	161. <i>Oxybaphus linearis</i>	(<i>Mirabilis linearis</i>)	Narrowleaf umbrellawort
	<u>Oleaceae</u>		Olive
	162. <i>Forestiera pubescens</i>		Desert olive, wild privet
	163. <i>Fraxinus anomala</i>		Single-leaf ash
	<u>Onagraceae</u>		Evening-primrose
	164. <i>Camissonia walkeri</i>		Walker's camissonia
	165. <i>Oenothera caespitosa</i> var. <i>macroglottis</i>		Plains evening primrose
	166. <i>Oenothera caespitosa</i> var. <i>navajoensis</i>		Morning-lily
	167. <i>Oenothera pallida</i> ssp. <i>trichocalyx</i>		Pale evening primrose
	<u>Orobanchaceae</u>		Broomrape
	168. <i>Castilleja chromosa</i>		Desert / common paintbrush
	169. <i>Castilleja scabrada</i>		Eastwood Paintbrush
	170. <i>Cordylanthus wrightii</i>		Wright's birdsbeak
	171. <i>Orobanche ludoviciana</i>		Broomrape
	<u>Pinaceae</u>		Pine
	172. <i>Pinus edulis</i>		Two-needle pinyon
	173. <i>Pseudotsuga menziesii</i>		Douglas-fir
	<u>Plantaginaceae</u>		Plantain
G3S3	174. <i>Penstemon cyanocaulis</i>		Bluestem penstemon
	175. <i>Penstemon moffatii</i>		Moffat penstemon
G4S2	176. <i>Penstemon utahensis</i>		Utah penstemon
	177. <i>Plantago patagonica</i>	(<i>P. purshii</i>)	Woolly plantain
	<u>Poaceae</u>		(Gramineae) Grass
	178. <i>Achnatherum hymenoides</i>	(<i>Oryzopsis</i> , <i>Stipa</i>)	Indian ricegrass
I	179. <i>Anisantha tectorum</i>	(<i>Bromus tectorum</i>)	Cheatgrass
	180. <i>Aristida purpurea</i>	(<i>A. longisetata</i> , <i>A. fendleriana</i> , <i>A. wrightii</i>)	Fendler's three-awn
	181. cf. <i>Leymus cinereus</i>		Giant wild rye
	182. <i>Chondrosum barbatum</i>		grama
	183. <i>Chondrosum gracile</i>	(<i>Bouteloua gracilis</i>)	Blue grama
I	184. <i>Critesion brachyantherum</i>	(<i>Hordeum brachyantherum</i> , <i>C. jubatum</i> ssp. <i>breviaristatum</i>)	Meadow barley
	185. <i>Dasyochloa pulchella</i>	(<i>Erioneuron pulchellum</i>)	Fluffgrass
I	186. <i>Eremopyrum triticeum</i>	(<i>Agropyron triticeum</i>)	Annual wheatgrass
	187. <i>Erioneuron pilosum</i>		Hairy tridens

	<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
	188. <i>Hesperostipa comata</i>	(<i>Stipa comata</i>)	Needle-and-thread grass
	189. <i>Hesperostipa neomexicana</i>		Needle-and-thread
	190. <i>Hilaria jamesii</i>		Galleta
	191. <i>Leymus salina</i>	(<i>Elymus salina</i>)	Salina wildrye
	192. <i>Pascopyrum smithii</i>	(<i>Agropyron</i> , <i>Elymus</i>)	Western wheatgrass
	193. <i>Poa fendleriana</i>		Muttongrass
	194. <i>Poa secunda</i>	(<i>P. sandbergii</i> , <i>P. scabrella</i> , <i>P. nevadensis</i>)	Sandberg bluegrass
	195. <i>Pseudoroegneria spicata ssp. inermis</i>	(<i>Agropyron inermis</i>)	Bluebunch wheatgrass
	196. <i>Sporobolus contractus</i>		Spike dropseed
	197. <i>Sporobolus cryptandrus</i>		Sand dropseed
	198. <i>Sporobolus flexuosus</i>		Mesa dropseed
I	199. <i>Thinopyrum intermedium</i>	(<i>Agropyron</i> , <i>Elytrigia</i>)	Intermediate Wheatgrass
	200. <i>Vulpia octoflora</i>	(<i>Festuca octoflora</i>)	Sixweeks fescue
	<u>Polemoniaceae</u>		Phlox
G3S2	201. <i>Aliciella haydenii</i>	(<i>Gilia haydenii</i>)	Gilia
	202. <i>Aliciella triodon</i>	(<i>Gilia</i>)	
	203. <i>Eriastrum diffusum</i>	(<i>Gilia filifolia</i> var. <i>diffusa</i>)	
	204. <i>Gilia clokeyi</i>	(<i>G. inconspicua</i>)	Floccose gilia
	205. <i>Gilia ophthalmoides</i>		Gilia
	206. <i>Gilia pinnatifida</i>	(<i>G. calcarea</i> of CO lit.)	Pinnate-leaf gilia
	207. <i>Ipomopsis congesta ssp. frutescens</i>	(<i>Gilia congesta</i>)	Ballhead gilia
	208. <i>Phlox hoodii</i>	(<i>P. hoodii</i> ssp. <i>canescens</i>)	Hood / carpet phlox
	209. <i>Phlox longifolia</i>		Longleaf phlox
	<u>Polygonaceae</u>		Buckwheat
	210. <i>Eriogonum cernuum</i>		Nodding buckwheat
	211. <i>Eriogonum corymbosum</i>		Fremont's buckwheat
	212. <i>Eriogonum inflatum</i>		Desert trumpet, bottlestopper
	213. <i>Eriogonum microthecum</i> var. <i>simpsonii</i>	(<i>E. microthecum</i> var. <i>foliosum</i>)	Slender buckwheat
G4S1	214. <i>Eriogonum palmerianum</i>		Palmer's buckwheat
	215. <i>Eriogonum wetherillii</i>		
	216. <i>Rumex hymenosepalus</i>		Canaigre
	<u>Rosaceae</u>		Rose
	217. <i>Amelanchior utahensis</i>		Utah serviceberry
	218. <i>Cercocarpus ledifolius</i>		Curly-leaf mt. mahogany
	219. <i>Cercocarpus montanus</i>		Alder-leaf mountain mahogany
	220. <i>Coleogyne ramosissima</i>		Blackbrush
	221. <i>Oreobatus deliciosus</i>	(<i>Rubus deliciosus</i>)	Boulder raspberry
	222. <i>Purshia stansburiana</i>	(<i>Cowania mexicana</i>)	Cliff-rose
	<u>Rubiaceae</u>		Madder
	223. <i>Galium coloradoense</i>	(<i>G. multiflorum</i> var. <i>coloradoense</i>)	Shrubby bedstraw
	<u>Salicaceae</u>		Willow
	224. <i>Populus deltoides</i> var. <i>wislizenii</i>		Alamo cottonwood
	225. <i>Salix exigua</i>	(<i>S. interior</i>)	Sandbar willow
	<u>Santalaceae</u>		Sandalwood
	226. <i>Comandra umbellata</i>		Bastard-toadflax
	<u>Saxifragaceae</u>		Saxifrage
	227. <i>Heuchera parvifolia</i>		Common alum-root

<u>sci name</u>	<u>(syn)</u>	<u>Common Name</u>
<u>Scrophulariaceae</u>		
228. <i>Pedicularis centranthera</i>		Figwort Pinyon-juniper lousewort
<u>Solanaceae</u>		
229. <i>Physalis hederifolia</i>		Nightshade Clammy ground-cherry
<u>Tamaricaceae</u>		
230. <i>Tamarix ramosissima</i>	(<i>T. chinensis</i> in some reports)	Tamarisk Tamarisk, salt cedar
<u>Zygophyllaceae</u>		
I 231. <i>Tribulus terrestris</i>		Caltrop Puncturevine