

GRAND MESA FLORA, by GENUS Updated October, 2017

Scientific names are in accord with <http://bonap.net/TDC/>

Plants have many common names. Just one name is listed here.

| | | |
|------------------------------------|--|---------------------------|
| <i>Abies bifolia</i> | Pinaceae (Pine Family) | Subalpine Fir |
| <i>Achillea millefolium</i> | Asteraceae (Sunflower Family) | Yarrow |
| <i>Aconitum columbianum</i> | Ranunculaceae (Buttercup Family) | Monkshood |
| <i>Agastache urticifolia</i> | Lamiaceae (Mint Family) | Giant Hyssop |
| <i>Agoseris aurantiaca</i> | Asteraceae (Sunflower Family) | Orange Mountain Dandelion |
| <i>Allium cernuum</i> | Alliaceae (Onion Family) | Nodding Onion |
| <i>Amelanchier alnifolia</i> | Rosaceae (Rose Family) | Serviceberry |
| <i>Anaphalis margaritacea</i> | Asteraceae (Sunflower Family) | Pearly Everlasting |
| <i>Androsace occidentalis</i> | Primulaceae (Primrose Family) | Western Rock Jasmine |
| <i>Androsace septentrionalis</i> | Primulaceae (Primrose Family) | Northern Fairy Candelabra |
| <i>Angelica ampla</i> | Apiaceae (Parsley Family) | Giant Angelica |
| <i>Angelica grayi</i> | Apiaceae (Parsley Family) | Gray's Angelica |
| <i>Antennaria corymbosa</i> | Asteraceae (Sunflower Family) | Pussytoes |
| <i>Antennaria parvifolia</i> | Asteraceae (Sunflower Family) | Small Leaf Pussytoes |
| <i>Antennaria rosea</i> | Asteraceae (Sunflower Family) | Pink Pussytoes |
| <i>Anticlea elegans</i> | Melanthiaceae (False Hellebore Family) | Mountain Death Camus |
| <i>Aquilegia chrysantha</i> | Ranunculaceae (Buttercup Family) | Golden Columbine |
| <i>Aquilegia coerulea</i> | Ranunculaceae (Buttercup Family) | Colorado Columbine |
| <i>Aquilegia elegantula</i> | Ranunculaceae (Buttercup Family) | Shooting Star Columbine |
| <i>Arnica cordifolia</i> | Asteraceae (Sunflower Family) | Heart-leaf Arnica |
| <i>Arnica mollis</i> | Asteraceae (Sunflower Family) | Hairy Arnica |
| <i>Arnica parryi</i> | Asteraceae (Sunflower Family) | Parry's Arnica |
| <i>Artemisia tridentata</i> | Asteraceae (Sunflower Family) | Big Sagebrush |
| <i>Asclepias speciosa</i> | Apocynaceae (Dogbane Family) | Showy Milkweed |
| <i>Bistorta bistortoides</i> | Polygonaceae (Buckwheat Family) | Bistort |
| <i>Boechera stricta</i> | Brassicaceae (Mustard Family) | Drummond's Rockcress |
| <i>Bromus porteri</i> | Poaceae (Grass Family) | Porter's Brome |
| <i>Calochortus gunnisonii</i> | Liliaceae (Lily Family) | Gunnison's Sego Lily |
| <i>Caltha leptosepala</i> | Ranunculaceae (Buttercup Family) | Marsh Marigold |
| <i>Campanula rotundifolia</i> | Campanulaceae (Bellflower Family) | Harebells |
| <i>Cardamine cordifolia</i> | Brassicaceae (Mustard Family) | Heartleaf Bittercress |
| <i>Carduus nutans</i> | Asteraceae (Sunflower Family) | Musk Thistle |
| <i>Castilleja linarifolia</i> | Orobanchaceae (Broomrape Family) | Wyoming Paintbrush |
| <i>Castilleja miniata</i> | Orobanchaceae (Broomrape Family) | Red Paintbrush |
| <i>Castilleja occidentalis</i> | Orobanchaceae (Broomrape Family) | Western Paintbrush |
| <i>Castilleja rhexifolia</i> | Orobanchaceae (Broomrape Family) | Rose Paintbrush |
| <i>Castilleja septentrionalis</i> | Orobanchaceae (Broomrape Family) | Sulphur Paintbrush |
| <i>Cerastium arvense</i> | Caryophyllaceae (Pink Family) | Mouse-eared Chickweed |
| <i>Chamaenerion angustifolium</i> | Onagraceae (Evening Primrose Family) | Fireweed |
| <i>Chrysothamnus viscidiflorus</i> | Asteraceae (Sunflower Family) | Sticky Rabbitbrush |
| <i>Cichorium intybus</i> | Asteraceae (Sunflower Family) | Common Chicory |

| | | |
|-----------------------------------|--|------------------------|
| <i>Cirsium arvense</i> | Asteraceae (Sunflower Family) | Canadian Thistle |
| <i>Cirsium eatonii</i> | Asteraceae (Sunflower Family) | Eaton's Thistle |
| <i>Cirsium parryi</i> | Asteraceae (Sunflower Family) | Parry's Thistle |
| <i>Cirsium scariosum</i> | Asteraceae (Sunflower Family) | Elk Thistle |
| <i>Cirsium vulgare</i> | Asteraceae (Sunflower Family) | Bull Thistle |
| <i>Claytonia lanceolata</i> | Montiacaceae (Miner's Lettuce Family) | Spring Beauty |
| <i>Clematis hirsutissima</i> | Ranunculaceae (Buttercup Family) | Sugarbowls |
| <i>Comandra umbellata</i> | Santalaceae (Sandalwood Family) | Bastard Toadflax |
| <i>Convolvulus arvensis</i> | Convolvulaceae (Morning Glory Family) | Bindweed |
| <i>Cornus alba</i> | Cornaceae (Dogwood Family) | Red-Osier Dogwood |
| <i>Corydalis caseana</i> | Papaveraceae (Poppy Family) | Case's Corydalis |
| <i>Cymopterus lemmmonii</i> | Apiaceae (Parsley Family) | Mountain Parsley |
| <i>Cystopteris fragilis</i> | Cystopteridaceae (Bladder Fern Family) | Bladder Fern |
| <i>Dasiphora fruticosa</i> | Rosaceae (Rose Family) | Shrubby Cinquefoil |
| <i>Delphinium barbeyi</i> | Ranunculaceae (Buttercup Family) | Barbey's Delphinium |
| <i>Delphinium nuttallianum</i> | Ranunculaceae (Buttercup Family) | Dwarf Larkspur |
| <i>Dieteria canescens</i> | Asteraceae (Sunflower Family) | Tansy Aster |
| <i>Draba aurea</i> | Brassicaceae (Mustard Family) | Golden Draba |
| <i>Draba cana</i> | Brassicaceae (Mustard Family) | Brewer's Draba |
| <i>Draba crassifolia</i> | Brassicaceae (Mustard Family) | Snowbed Draba |
| <i>Draba spectabilis</i> | Brassicaceae (Mustard Family) | Showy Draba |
| <i>Epilobium anagallidifolium</i> | Onagraceae (Evening Primrose Family) | Alpine Willowherb |
| <i>Epilobium hornemannii</i> | Onagraceae (Evening Primrose Family) | Hornemann's Willowherb |
| <i>Eremogone fendleri</i> | Caryophyllaceae (Pink Family) | Fendler's Sandwort |
| <i>Erigeron concinnus</i> | Asteraceae (Sunflower Family) | Hairy Daisy |
| <i>Erigeron coulteri</i> | Asteraceae (Sunflower Family) | Coulter's Daisy |
| <i>Erigeron elatior</i> | Asteraceae (Sunflower Family) | Tall Fleabane |
| <i>Erigeron flagellaris</i> | Asteraceae (Sunflower Family) | Whiplash Daisy |
| <i>Erigeron formosissimus</i> | Asteraceae (Sunflower Family) | Beautiful Daisy |
| <i>Erigeron glabellus</i> | Asteraceae (Sunflower Family) | Smooth Daisy |
| <i>Erigeron glacialis</i> | Asteraceae (Sunflower Family) | Subalpine Fleabane |
| <i>Erigeron leiomerus</i> | Asteraceae (Sunflower Family) | Rockslide Daisy |
| <i>Erigeron pinnatisectus</i> | Asteraceae (Sunflower Family) | Featherleaf Daisy |
| <i>Erigeron speciosus</i> | Asteraceae (Sunflower Family) | Showy Daisy |
| <i>Eriogonum jamesii</i> | Polygonaceae (Buckwheat Family) | James' Buckwheat |
| <i>Eriogonum umbellatum</i> | Polygonaceae (Buckwheat Family) | Sulfur Flower |
| <i>Erythronium grandiflorum</i> | Liliaceae (Lily Family) | Glacier Lily |
| <i>Festuca rubra</i> | Poaceae (Grass Family) | Red Fescue |
| <i>Festuca thurberi</i> | Poaceae (Grass Family) | Thurber's Fescue |
| <i>Fragaria virginiana</i> | Rosaceae (Rose Family) | Wild Strawberry |
| <i>Frasera speciosa</i> | Gentianaceae (Gentian Family) | Monument Plant |
| <i>Gaillardia aristata</i> | Asteraceae (Sunflower Family) | Blanketflower |
| <i>Galium septentrionale</i> | Rubiaceae (Madder Family) | Northern Bedstraw |
| <i>Gentiana parryi</i> | Gentianaceae (Gentian Family) | Bottle Gentian |
| <i>Gentianella amarella</i> | Gentianaceae (Gentian Family) | Little Gentian |

| | | |
|-----------------------------------|-------------------------------------|-----------------------------|
| <i>Gentianopsis thermalis</i> | Gentianaceae (Gentian Family) | Fringed Gentian |
| <i>Geranium richardsonii</i> | Geraniaceae (Geranium Family) | Wild Geranium |
| <i>Geum macrophyllum</i> | Rosaceae (Rose Family) | Large-leaf Avens |
| <i>Geum triflorum</i> | Rosaceae (Rose Family) | Prairie Smoke |
| <i>Goodyera oblongifolia</i> | Orchidaceae (Orchid Family) | Rattlesnake Plantain Orchid |
| <i>Grindelia squarrosa</i> | Asteraceae (Sunflower Family) | Curly-cup Gumweed |
| <i>Helianthella quinquenervis</i> | Asteraceae (Sunflower Family) | Five-nerved Sunflower |
| <i>Heliomeris multiflora</i> | Asteraceae (Sunflower Family) | Goldeneye |
| <i>Heracleum maximum</i> | Apiaceae (Parsley Family) | Cow Parsnips |
| <i>Herrickia glauca</i> | Asteraceae (Sunflower Family) | Waxy Aster |
| <i>Heterotheca villosa</i> | Asteraceae (Sunflower Family) | Golden Aster |
| <i>Hieracium triste</i> | Asteraceae (Sunflower Family) | Wooly Hawkweed |
| <i>Holodiscus dumosus</i> | Rosaceae (Rose Family) | Mountain Spray |
| <i>Hordeum jubatum</i> | Poaceae (Grass Family) | Foxtail Barley |
| <i>Hydrophyllum fendleri</i> | Boraginaceae (Forget-Me-Not Family) | Fendler's Waterleaf |
| <i>Hymenoxys grandiflora</i> | Asteraceae (Sunflower Family) | Old Man of the Mountain |
| <i>Hymenoxys hoopesii</i> | Asteraceae (Sunflower Family) | Sneezeweed |
| <i>Ipomopsis aggregata</i> | Polemoniaceae (Phlox Family) | Scarlet Gilia |
| <i>Ipomopsis tenuituba</i> | Polemoniaceae (Phlox Family) | Pink Fairy Trumpet |
| <i>Iris missouriensis</i> | Iridaceae (Iris Family) | Wild Iris |
| <i>Lathyrus lanszwertii</i> | Fabaceae (Pea Family) | Peavine |
| <i>Leucanthemum vulgare</i> | Asteraceae (Sunflower Family) | Oxeye Daisy |
| <i>Lewisia pygmaea</i> | Montiaceae (Miner's Lettuce Family) | Pygmy Bitterroot |
| <i>Ligusticum porteri</i> | Apiaceae (Parsley Family) | Loveroot, Osha |
| <i>Linaria vulgaris</i> | Plantaginaceae (Plantain Family) | Butter-and-Eggs |
| <i>Linum lewisii</i> | Linaceae (Flax Family) | Blue Flax |
| <i>Lonicera involucrata</i> | Caprifoliaceae (Honeysuckle Family) | Twinberry |
| <i>Lupinus argenteus</i> | Fabaceae (Pea Family) | Silvery Lupine |
| <i>Lupinus caudatus</i> | Fabaceae (Pea Family) | Tailcup Lupine |
| <i>Lupinus prunophilus</i> | Fabaceae (Pea Family) | Chokecherry Lupine |
| <i>Lupinus sericeus</i> | Fabaceae (Pea Family) | Silky Lupine |
| <i>Mahonia repens</i> | Berberidaceae (Barberry Family) | Oregon Grape |
| <i>Maianthemum canadense</i> | Asparagaceae (Asparagus Family) | Solomon's Plume |
| <i>Maianthemum stellatum</i> | Asparagaceae (Asparagus Family) | Starry Lily of the Valley |
| <i>Matricaria discoidea</i> | Asteraceae (Sunflower Family) | Pineapple Weed |
| <i>Melilotus officinalis</i> | Fabaceae (Pea Family) | Sweet Clover |
| <i>Mertensia brevistyla</i> | Boraginaceae (Forget-Me-Not Family) | Short-style Bluebells |
| <i>Mertensia ciliata</i> | Boraginaceae (Forget-Me-Not Family) | Fringed Bluebells |
| <i>Mertensia lanceolata</i> | Boraginaceae (Forget-Me-Not Family) | Lanceleaf Bluebells |
| <i>Mertensia oblongifolia</i> | Boraginaceae (Forget-Me-Not Family) | Oblong Leaf Bluebells |
| <i>Micranthes oregana</i> | Saxifragaceae (Saxifrage Family) | Oregon Snowball Saxifrage |
| <i>Micranthes rhomboidea</i> | Saxifragaceae (Saxifrage Family) | Snowball Saxifrage |
| <i>Mimulus guttatus</i> | Phrymaceae (Lopseed Family) | Yellow Monkeyflower |
| <i>Minuartia obtusiloba</i> | Caryophyllaceae (Pink Family) | Alpine Sandwort |
| <i>Moneses uniflora</i> | Ericaceae (Heath Family) | Single Delight |

| | | |
|----------------------------------|--|--------------------------|
| <i>Noccaea fendleri</i> | Brassicaceae (Mustard Family) | Wild Candytuft |
| <i>Nuphar polysepala</i> | Nymphaeaceae (Water-Lily Family) | Water Lily |
| <i>Oenothera flava</i> | Onagraceae (Evening Primrose Family) | Yellow Evening Primrose |
| <i>Oreochrysum parryi</i> | Asteraceae (Sunflower Family) | Parry's Goldenrod |
| <i>Orthilia secunda</i> | Ericaceae (Heath Family) | One-Sided Wintergreen |
| <i>Osmorhiza occidentalis</i> | Apiaceae (Parsley Family) | Western Sweet Cicely |
| <i>Oxypolis fendleri</i> | Apiaceae (Parsley Family) | Cowbane |
| <i>Oxyria digyna</i> | Polygonaceae (Buckwheat Family) | Mountain Sorrel |
| <i>Packera dimorphophylla</i> | Asteraceae (Sunflower Family) | Two-leaf Groundsel |
| <i>Packera neomexicana</i> | Asteraceae (Sunflower Family) | New Mexico Groundsel |
| <i>Packera pseudaura</i> | Asteraceae (Sunflower Family) | Streambank Butterweed |
| <i>Paxistima myrsinoides</i> | Celastraceae (Bittersweet Family) | Mountain Lover |
| <i>Pedicularis bracteosa</i> | Orobanchaceae (Broomrape Family) | Bracted Lousewort |
| <i>Pedicularis groenlandica</i> | Orobanchaceae (Broomrape Family) | Elephant Heads |
| <i>Pedicularis parryi</i> | Orobanchaceae (Broomrape Family) | Parry's Lousewort |
| <i>Pedicularis racemosa</i> | Orobanchaceae (Broomrape Family) | Parrot's Beak |
| <i>Penstemon mensarum</i> | Plantaginaceae (Plantain Family) | Grand Mesa Penstemon |
| <i>Penstemon rydbergii</i> | Plantaginaceae (Plantain Family) | Rydberg's Penstemon |
| <i>Penstemon strictus</i> | Plantaginaceae (Plantain Family) | Rocky Mountain Penstemon |
| <i>Penstemon whippleanus</i> | Plantaginaceae (Plantain Family) | Whipple's Penstemon |
| <i>Phacelia sericea</i> | Boraginaceae (Forget-Me-Not Family) | Silky Phacelia |
| <i>Phalaris arundinacea</i> | Poaceae (Grass Family) | Reed Canarygrass |
| <i>Phleum alpinum</i> | Poaceae (Grass Family) | Mountain Timothy |
| <i>Phlox condensata</i> | Polemoniaceae (Phlox Family) | Alpine Phlox |
| <i>Phlox multiflora</i> | Polemoniaceae (Phlox Family) | Many-flowered Phlox |
| <i>Picea engelmannii</i> | Pinaceae (Pine Family) | Engelmann Spruce |
| <i>Plantago eriopoda</i> | Plantaginaceae (Plantain Family) | Redwool Plantain |
| <i>Plantago major</i> | Plantaginaceae (Plantain Family) | Common Plantain |
| <i>Poa fendleriana</i> | Poaceae (Grass Family) | Mutongrass |
| <i>Podistera eastwoodiae</i> | Apiaceae (Parsley Family) | Eastwood's Podistera |
| <i>Polemonium foliosissimum</i> | Polemoniaceae (Phlox Family) | Leafy Jacob's Ladder |
| <i>Polemonium pulcherrimum</i> | Polemoniaceae (Phlox Family) | Showy Jacob's Ladder |
| <i>Populus tremuloides</i> | Salicaceae (Willow Family) | Aspen |
| <i>Potentilla concinna</i> | Rosaceae (Rose Family) | Elegant Cinquefoil |
| <i>Potentilla gracilis</i> | Rosaceae (Rose Family) | Graceful Cinquefoil |
| <i>Potentilla hippiana</i> | Rosaceae (Rose Family) | Hippo's Cinquefoil |
| <i>Potentilla pulcherrima</i> | Rosaceae (Rose Family) | Beautiful Cinquefoil |
| <i>Primula parryi</i> | Primulaceae (Primrose Family) | Parry's Primrose |
| <i>Prosartes trachycarpa</i> | Liliaceae (Lily Family) | Fairybells |
| <i>Prunus virginiana</i> | Rosaceae (Rose Family) | Choke Cherry |
| <i>Pseudostellaria jamesiana</i> | Caryophyllaceae (Pink Family) | Tuber Starwort |
| <i>Pseudotsuga menziesii</i> | Pinaceae (Pine Family) | Douglas Fir |
| <i>Pteridium aquilinum</i> | Dennstaedtiaceae (Bracken Fern Family) | Bracken Fern |
| <i>Pulsatilla patens</i> | Ranunculaceae (Buttercup Family) | Pasqueflower |
| <i>Quercus gambelii</i> | Fagaceae (Beech Family) | Gambel's Oak |

| | | |
|------------------------------------|--------------------------------------|-------------------------|
| <i>Ranunculus alismifolius</i> | Ranunculaceae (Buttercup Family) | Plantain Buttercup |
| <i>Ranunculus eschscholtzii</i> | Ranunculaceae (Buttercup Family) | Eschscholtz's Buttercup |
| <i>Ranunculus inamoenus</i> | Ranunculaceae (Buttercup Family) | Humble Buttercup |
| <i>Ranunculus uncinatus</i> | Ranunculaceae (Buttercup Family) | Hooked Buttercup |
| <i>Rhodiola rhodantha</i> | Crassulaceae (Stonecrop Family) | Queen's Crown |
| <i>Rhodiola rosea</i> | Crassulaceae (Stonecrop Family) | King's Crown |
| <i>Ribes cereum</i> | Grossulariaceae (Currant Family) | Wax Currant |
| <i>Ribes laxiflorum</i> | Grossulariaceae (Currant Family) | Trailing Currant |
| <i>Ribes montigenum</i> | Grossulariaceae (Currant Family) | Mountain Currant |
| <i>Ribes wolfii</i> | Grossulariaceae (Currant Family) | Wolf's Currant |
| <i>Rosa woodsii</i> | Rosaceae (Rose Family) | Woods' Rose |
| <i>Rubus idaeus</i> | Rosaceae (Rose Family) | Wild Raspberry |
| <i>Rudbeckia laciniata</i> | Asteraceae (Sunflower Family) | Goldenglow |
| <i>Rudbeckia occidentalis</i> | Asteraceae (Sunflower Family) | Western Coneflower |
| <i>Rumex acetosella</i> | Polygonaceae (Buckwheat Family) | Sheep Sorrel |
| <i>Rumex crispus</i> | Polygonaceae (Buckwheat Family) | Curly Dock |
| <i>Rumex densiflorus</i> | Polygonaceae (Buckwheat Family) | Alpine Dock |
| <i>Salix brachycarpa</i> | Salicaceae (Willow Family) | Barrenground Willow |
| <i>Salix exigua</i> | Salicaceae (Willow Family) | Narrow-leaf Willow |
| <i>Salix planifolia</i> | Salicaceae (Willow Family) | Plane-leaf Willow |
| <i>Sambucus racemosa</i> | Adoxaceae (Muskroot Family) | Elderberry |
| <i>Saxifraga austromontana</i> | Saxifragaceae (Saxifrage Family) | Dotted Saxifrage |
| <i>Scrophularia lanceolata</i> | Scrophulariaceae (Snapdragon Family) | Lanceleaf Figwort |
| <i>Sedum lanceolatum</i> | Crassulaceae (Stonecrop Family) | Stonecrop |
| <i>Senecio atratus</i> | Asteraceae (Sunflower Family) | Black-tipped Senecio |
| <i>Senecio bigelovii</i> | Asteraceae (Sunflower Family) | Rayless Senecio |
| <i>Senecio crassulus</i> | Asteraceae (Sunflower Family) | Thickbract Senecio |
| <i>Senecio eremophilus</i> | Asteraceae (Sunflower Family) | Lonely Senecio |
| <i>Senecio serra</i> | Asteraceae (Sunflower Family) | Serrated Senecio |
| <i>Senecio triangularis</i> | Asteraceae (Sunflower Family) | Arrowhead Senecio |
| <i>Sibbaldia procumbens</i> | Rosaceae (Rose Family) | Sibbaldia |
| <i>Solidago missouriensis</i> | Asteraceae (Sunflower Family) | Missouri Goldenrod |
| <i>Solidago multiradiata</i> | Asteraceae (Sunflower Family) | Mountain Goldenrod |
| <i>Solidago simplex</i> | Asteraceae (Sunflower Family) | Alpine Goldenrod |
| <i>Sorbus scopulina</i> | Rosaceae (Rose Family) | Mountain Ash |
| <i>Spiranthes romanzoffiana</i> | Orchidaceae (Orchid Family) | Ladies' Tresses |
| <i>Stellaria longipes</i> | Caryophyllaceae (Pink Family) | Long-stalked Starwort |
| <i>Streptopus amplexifolius</i> | Liliaceae (Lily Family) | Twisted-stalk |
| <i>Symporicarpos rotundifolius</i> | Caprifoliaceae (Honeysuckle Family) | Snowberry |
| <i>Taraxacum officinale</i> | Asteraceae (Sunflower Family) | Dandelion |
| <i>Tetraneuris acaulis</i> | Asteraceae (Sunflower Family) | Stemless Woolly Base |
| <i>Thalictrum fendleri</i> | Ranunculaceae (Buttercup Family) | Meadow Rue |
| <i>Thermopsis montana</i> | Fabaceae (Pea Family) | Golden Banner |
| <i>Tragopogon dubius</i> | Asteraceae (Sunflower Family) | Salsify |
| <i>Trifolium pratense</i> | Fabaceae (Pea Family) | Red Clover |

| | | |
|----------------------------------|--|-----------------|
| <i>Trifolium repens</i> | Fabaceae (Pea Family) | White Clover |
| <i>Tripleurospermum inodorum</i> | Asteraceae (Sunflower Family) | Wild Chamomile |
| <i>Trollius laxus</i> | Ranunculaceae (Buttercup Family) | Globeflower |
| <i>Urtica dioica</i> | Urticaceae (Nettle Family) | Stinging Nettle |
| <i>Vaccinium myrtillus</i> | Ericaceae (Heath Family) | Dwarf Blueberry |
| <i>Valeriana acutiloba</i> | Caprifoliaceae (Honeysuckle Family) | Valerian |
| <i>Valeriana edulis</i> | Caprifoliaceae (Honeysuckle Family) | Edible Valerian |
| <i>Veratrum californicum</i> | Melanthiaceae (False Hellebore Family) | Corn Lily |
| <i>Verbascum thapsus</i> | Scrophulariaceae (Snapdragon Family) | Mullein |
| <i>Veronica wormskjoldii</i> | Plantaginaceae (Plantain Family) | Veronica |
| <i>Vicia americana</i> | Fabaceae (Pea Family) | American Vetch |
| <i>Viola adunca</i> | Violaceae (Violet Family) | Blue Violet |
| <i>Viola canadensis</i> | Violaceae (Violet Family) | Canadian Violet |
| <i>Viola vallicola</i> | Violaceae (Violet Family) | Valley Violet |
| <i>Wyethia amplexicaulis</i> | Asteraceae (Sunflower Family) | Mule's Ears |
| <i>Wyethia x magna</i> | Asteraceae (Sunflower Family) | Mule's Ears |